



EUROPEAN MEDICINES AGENCY
SCIENCE MEDICINES HEALTH

28 January 2014
EMA/HMPC/44212/2012

Committee on Herbal Medicinal Products (HMPC)

List of references supporting the assessment of *Sambucus nigra* L., fructus

Final

The Agency acknowledges that copies of the underlying works used to produce this monograph were provided for research only with exclusion of any commercial purpose.

Abuja PM, Murkovic M, Pfannhauser W. Antioxidant and Prooxidant Activities of Elderberry (*Sambucus nigra*) extract in Low-Density Lipoprotein Oxidation. *J Agric Food Chem* 1998, 46: 4091-4096

Askar A, Treptow H. Aromastoffe in schwarzem Holunder (*Sambucus nigra* L.). *Ernährung/ Nutrition* 1985, 9: 309-312 [German]

Barak V, Halperin T, Kalickman I. The effect of Sambucol, a black elderberry-based, natural product, on the production of human cytokines: I. inflammatory cytokines. *Eur Cytokine Netw* 2001, (12)2: 290-296

Barsett H, Aslaksen, TH, Gildhyal P, Michaelsen TE, Paulsen BS. Comparison of carbohydrate structures and immunomodulating properties of extracts from berries and flowers of *Sambucus nigra* L. *European Journal of Medicinal Plants* 2012, 216-229

Barton B, Castle T. *The British Flora Medica*, London: E.Cox, St. Thomas's Street, Southwark 1837.

Battelli MG, Citores L, Buonamici L, Ferreras JM, Benito FM. Toxicity and Cytotoxicity of Nigrin b, a Two-Chain Ribosome-Inactivating Protein from *Sambucus nigra*: Comparison with Ricin. *Archives of Toxicology* 1997, 70: 360

Batz F, Gurley B, Young VSL, Gurley B. *Herb-Drug Interaction Handbook*. 3th ed. Church Street Books, Castleton 2005, 107-108

Bisset NG, Wichtl M. *Herbal Drugs and Phytopharmaceuticals: A Handbook for Practice on a Scientific Basis*. 2th ed. Medpharm, Stuttgart 2001, 449-450

Blochwich H. *The Anatomy of the Elder*. Original Edition 1677, Re-Edited 2010, *Berry Pharma AG*.

Bobek P, Nosáľová V, Černá S. Influence of diet containing extract of black elder (*Sambucus nigra*) on colitis in rats. *Biologia Bratislava* 2001, 56: 643-648



- Brønnum–Hansen K, Hansen SH. High performance liquid chromatographic separation of anthocyanins of *Sambucus nigra* L. *J Chromatograph* 1983, 262:385-392
- Brønnum-Hansen K, Jacobsen F, Flink JM. Anthocyanin colorants from elderberry (*Sambucus nigra* L.) 1. Process considerations for production of the liquid extract. *J Food Tech* 1985, 20: 703-711
- Burge B, Mumcuoglu M, Simmons T. The effect of Sambucol on flu-like symptoms in chimpanzees: prophylactic and symptom-dependent treatment. *I Zoo News* 1999, (46)1:16-19
- Cao G, Prior RL. Anthocyanins Are Detected in Human Plasma after Oral Administration of an Elderberry Extract. *Clin Chem* 1999, (45)4:574-576
- Chatterjee A, Yasmin T, Bagchi D, Stohs SJ. Inhibition of *Helicobacter pylori* in vitro by various berry extracts, with enhanced susceptibility to clarithromycin. *Mol Cell Biochem* 2004, 265:19–26
- Citores L, De Benito FM, Iglesias R, Ferreras M, Jimenez P, Argüeso P, Farias G, Mendez E, Girbes T. Isolation and characterization of a new non-toxic two-chain ribosome-inactivating protein from fruits of elder (*Sambucus nigra* L.). *J Exp Botany* 1996, 47:1577-1585
- Citores L, Iglesias R, Munoz R, Ferreras JM, Jimenez P and Girbes T. Elderberry (*Sambucus nigra* L.) seed proteins inhibit protein synthesis and display strong immunoreactivity with rabbit polyclonal antibodies raised against the type 2 ribosome-inactivating protein nigrin b. *J Exp Botany* 1994 45:513-516
- Český Farmaceutický Kodex (Codex Pharmaceuticus Bohemicus), 1st edition, Sambuci fructus, Nakladatelství X-EGEM, Prague 1993
- Czech National Norm, Plod bezu černého, Vydavatelství Státního úřadu pro vynálezy a normalizaci, Prague 1958
- Davidek J, Pudil F, Velisek J, Kubelka V. Volatile constituents of Elder (*Sambucus nigra* L.) Part II: Berries. *Lebensm-Wiss. u. Technol* 1982, 15:181-182
- Dellagrecia M, Florentino A, Monaco P, Previtera L, Simonet AM. Cyanogenic glycosides from *Sambucus nigra*. *Nat Prod Letters* 2000, 14(3):175-182
- Dewick P. Medicinal natural products. A Biosynthetic approach. 3th ed. Wiley 2009, 476
- Duke JA, Bogenschutz-Godwin MJ, du Cellier J, Kessler Duke PA. Handbook of Medicinal Herbs. CRC Press, Boca Raton 1985, 423
- Ebadi M. Pharmacodynamic basis of herbal medicine. CRC Press, Boca Raton 2001, 34
- EFSA. European Food Safety Authority. Compendium of botanicals reported to contain naturally occurring substances of possible concern for human health when used in food and food supplements. *EFSA Journal* 2012, 10(5):2663. Available at: <http://www.efsa.europa.eu/en/efsajournal/pub/2663.htm>. Retrieved: 03. 07.2012
- EMA HMPC. 2007. *Sambucus nigra* L., flos - Assessment report for the development of community monographs and for inclusion of herbal substance(s), preparation(s) or combinations thereof in the list. EMA/HMPC/283170/2007/Corr.
- Förster-Waldl E, Marchetti M, Schöll I, Focke M, Radauer C, Kinaciyan T, Nentwich I, Jäger S, Schmid ER, Boltz-Nitulescu G, Scheiner O, Jensen-Jarolim E. Type I allergy to elderberry (*Sambucus nigra*) is elicited by a 33.2 kDa allergen with significant homology to ribosomal inactivating proteins. *Clin Exp Allergy* 2003, 33:1703–1710

- Frohne D, Pfänder HJ, Anton R. 2009. *Plantes à risques*, Ed. Tec et Doc Lavoisier, ISBN : 978-2-7430-0907-1
- Gayoso MJ, Muñoz R., Arias Y, Villar R, Rojo MA, Jiménez P, Ferreras JM, Aranguéz I, Girbés T. Specific dose-dependent damage of Lieberkühn crypts promoted by large doses of Type 2 ribosome-inactivating protein nigrin b intravenous injection to mice. *Toxicology and Applied Pharmacology* 2005, 207:138-146
- Girbes T, Citorec L, Benito FM, Inglesias R, Ferreras M. A non-toxic two-chain ribosome-inactivating protein co-exists with a structure-related monomeric lectin (SNA III) in elder (*Sambucus nigra*) fruits. *Biochem J* 1996, 315:343-344
- Grieve M. *A Modern Herbal.*, Jonathan Cape, London 1931, 265-277
- List PH, Hörhammer L. *Hagers Handbuch der Pharmazeutischen Praxis*. Springer Verlag, Berlin 1979, 259
- Haas H, Falcone FH, Schramm G, Haisch K, Gibbs BF, Klaućje J, Pöppelmann M, Becker WM, Gabius HJ, Schlaak M. Dietary lectins can induce *in vitro* release of IL-4 and IL-13 from human basophils. *Eur J Immunol* 1999, 29:918–927
- Hearst C, McCollum G, Nelson D, Ballard L, Millar CH, Goldsmith CE, Rooney PJ, Loughrey A, Moore JE, Rao JR. Antibacterial activity of elder (*Sambucus nigra* L.) flower or berry against hospital pathogens. *J Med Plant Res* 2010, 4(17):1805-1809
- Hiermann A. *Sambuci fructus*. In: DrugBase, Hagers Enzyklopädie 2010. Available at: http://www.justscience.de/de/drugbaseAbuja/hagers-enzyklopaedie/artikel.html?tx_crondavdbhager_pi%5Buid%5D=53728&cHash=fa9a5954c1 (Accessed: 8.12.2011)
- Jakovljevic V, Popovic M, Mimica-Dukic N, Sabo J. Interaction of *Sambucus nigra* flower and berry decoctions with the actions of centrally acting drugs in rats. *Pharmacol Biolog* 2001, 39:142-145
- Jensen SR, Nielsen BJ. Cyanogenic glycosides in *Sambucus nigra* L. *Acta Chem. Scand* 1973, 27:2661-2662
- JECFA (1993). Cyanogenic glycosides. Available at: <http://www.inchem.org/documents/jecfa/jecmono/v30je18.htm> Retrieved: 18.05.2012
- Karl J. *Phytotherapie - Ein Lehr - und Ordnungsbuch*, Verlag Tibor Marczell, Puchheim 1970, 312
- Krawitz C, Mraheil MA, Stein M, Imirzalioglu C, Domann E, Pleschka S, Hain T. *BMC Complementary and Alternative Medicine* 2011, 11:16
- Karmazín M, Hubík J, Dušek J. *Seznam léčiv rostlinného původu*. VĤJ Spofa, Praha 1984, 150-151 [Czech]
- Kunitz MD, Melton RJ, Updyke T. Poisoning from elderberry juice. *MMWR*. 1984; 33(13):173-174
- Lewis WH, Elvin-Lewis MPF. *Medical Botany: Plants Affecting Human Health*. 2nd ed. Hoboken, New Jersey 2003, 71:495
- Madaus G. *Lehrbuch der Biologischen Heilmittel*. Band III. Georg Thieme Verlag, Leipzig 1938, 2422
- Mach L, Scherf W, Amman M, Poetsch J, Bertsch W, Marzt L, Glossl J. Purification and partial characterization of a novel lectin from elder (*Sambucus nigra* L.) fruit. *Biochem J* 1991, 278:667-671

- Mikova K, Havlikovi L, Velcek J, Viden I, Pudil F. Neutral Flavour Components of Elderberries and Elderberry Products. *Lebensm-Wiss Technol* 1984, 17:311-313
- Milbury PE, Cao G, Prior RL, Blumberg J. Bioavailability of elderberry anthocyanins. *Mech Ageing Dev* 2002, 123:997–1006
- Mülleder U, Murcovic M, Pfannhauser W. Urinary excretion of cyanidin glycosides. *J Biochem Biophys Methods* 2002, 53:61–66
- Murkovic M, Abuja PM, Bergmann AR, Zirngast A, Adam U, Winklhofer-Roob BM, Toplak H. Effects of elderberry juice on fasting and postprandial serum lipids and low-density lipoprotein oxidation in healthy volunteers: a randomized, double-blind, placebo-controlled study. *Eur J Clin Nut* 2004, 58:244–249
- Peumans WJ, Kellens JTC, Allen AK, Van Damme EJM. Isolation and characterization of a seed lectin from elderberry (*Sambucus nigra* L.) and its relationship to the bark lectins. *Carbohydr Res* 1991, 213:7–17
- Pogorzelski E. Formation of cyanide as a product of decomposition of cyanogenic glycosides in the treatment of elderberry fruit (*Sambucus nigra*). *J Sci Food Agric* 1982, 33:496-498
- Pool-Zobel BL, Bub A, Schröder N, Rechkemmer G. Anthocyanins are potent antioxidants in model systems but do not reduce endogenous oxidative DNA damage in human colon cells. Steinkopff Verlag, *Eur J Nutr* 1999, 38:227–234
- Roschek BJR, Ryan A, Fink RC, McMichael MD, Li Dan, Alberte RS. Elderberry flavonoids bind to and prevent H1N1 infection *in vitro*. *Phytochem* 2009, 70:1255–1261
- Sangiorgi E, Minelli E, Crescini G, Garzanti S. *Fitoterapia* 2007 (Ed. Casa Editrice Ambrosiana). ISBN: 978-8808-18266-1
- Schröder-Aasen T, Molden G, Nilsen OG. In vitro inhibition of CYP3A4 by the multiherbal commercial product Sambucus Force® and its main constituents Echinacea purpurea and Sambucus nigra. *Phytother Res* 2012, 26:1606-1613
- Swiss Pharmacopoeia (Pharmacopoeia Helvetica, Ph. Helv.) 5th ed. Succus Sambuci inspissatus Syn. Roob Sambuci 1953, 998
- Van Damme E, Roy S, Barre A, Ruoge P, Leuven FV, Peumans EJ. The major elderberry (*Sambucus nigra*) fruit protein is a lectin derived from a truncated type 2 ribosome-inactivating protein. *The Plant J* 1997, (12)6:1251-1260
- Vallès J, Àngels Bonet M, Agelet A. Ethnobotany of *Sambucus nigra* L. in Catalonia (Iberian peninsula): the integral exploitation of a natural resource in mountain regions. *Economic botany* 2004, 58:456–469
- Vlachojannis JE, Cameron M, Chrubasik S. A systematic review on the Sambuci fructus effect and efficacy profiles. *Phytother Res* 2010, 24:1-8
- Vulić JJ, Vračar LO, Šumić ZM. Chemical characteristics of cultivated Elderberry Fruit. *BIBLID* 2008, 39:85-90
- Waknine-Grinberg JH, El-On J, Barak V, Barenholz Y, Golenser J. The immunomodulatory effect of Sambucol on leishmanial and malarial infections. *Planta Med* 2009, 75(6):581-586
- Weiss FR. Herbal Medicine. 6th ed. Arcanum, Gothenburg 1988, 226-227

Wichtl M. Herbal drugs and Phytopharmaceuticals. 3th ed. Medpharm Scientific Publishers GmbH, Stuttgart 2004, 549-550

Wu X, Cao G, Prior RL. Absorption and metabolism of anthocyanins in elderly women after consumption of elderberry or blueberry. *J Nutr* 2002, 132:1865-1871

Wu X, Gu L, Prior RL, McKay S. Characterization of Anthocyanins and Proanthocyanidins in Some Cultivars of Ribes, Aronia, and Sambucus and Their Antioxidant Capacity. *J Agric Food Chem* 2004, 52:7846-7856

Zakay-Rones Z, Varsano N, Zlotnik M, Orly M, Regev L, Schlesinger M, Mumcuoglu M. Inhibition of several strains of influenza virus *in vitro* and reduction of symptoms by an elderberry extract (*Sambucus nigra* L.) during an outbreak of influenza B Panama. *J Alternative Complement Med* 1995, 1 (4): 361-369

Zakay-Rones Z, Thom E, Wollan T, Wadstein J. Randomized study of the efficacy and safety of oral elderberry extract in the treatment of influenza A and B virus infections. *J International Med Res* 2004, 32:132-140